


April 12, 1999

464204

Ms. Joann Ornelas Integrated Environmental Services, Inc 3990 Westerly Place, Suite 210 Newport Beach, California 92660



Project Deliverables
Site Investigation Services
Building 4, AOI 4
Boeing Realty Corporation, C-6 Facility, Parcel B
Los Angeles, California

Dear Ms. Ornelas:

Harding Lawson Associates (HLA) has prepared this letter to transmit the project deliverables for site investigation services at former Building 4, Area of Interest (AOI) 4 at Boeing Realty Corporation's C-6 Facility, Parcel B, in Los Angeles, California. HLA's services were provided in accordance with our proposal dated January 12, 1999.

The following items are provided with this letter in hard-copy format:

- Description of site geology observed during the investigation
- Ten boring logs in gINT format
- One field daily report dated March 31, 1999 (hard copy only).

An electronic version of the above deliverables, excepting the field daily report, is provided on CD ROM as an attachment.

Site Geology

A total of 10 soil borings were advanced during site investigation activities to a maximum depth of 17 feet below ground surface (bgs). The borings were advanced using an hydraulic push drill rig. The site geologic descriptions are based on the soils encountered during drilling activities. Groundwater was not encountered during the investigation.

The borings encountered clay and silty sand to the depths investigated. A 3.5- to 7-foot thick layer of clay fill was found in all 10 of the borings. Underlying the fill is a layer of silty sand interpreted as native soil. The native silty sand sediment represents recent alluvium that is a common near surface deposit in the Los Angeles Basin.

April 12, 1999 46420 4 Ms. Joann Ornelas Integrated Environmental Services, Inc. Page 2

HLA has appreciated the opportunity to work with you on this project and looks forward to working with you on future projects. Should you have questions regarding this letter, please contact the undersigned.

Very truly yours,

HARDING LAWSON ASSOCIATES

Mark Clardy Project Manager

Attachments:

Logs of Borings AOI4A-B1 to AOI4A-B10

Field Investigation Daily Report, dated March 31, 1999 (4 sheets)

CD ROM including Letter Report and Boring Logs

N:\BOEING\LETTERS\BLDG4LTR.DOC

cc:

Mr. Mario Stavale - Boeing Realty Corporation

Power Probe 9600 Equipment 3/31/99 51.84 ft Elevation Date DARK BROWN SANDY CLAY (CL) firm, moist, medium plasticity and toughness
[ARTIFICIAL FILL] LIGHT BROWN SILTY SAND (SM) medium dense, moist, fine grained [NATIVE] 10 Boring terminated at 12 feet below ground surface. Groundwater not encountered during drilling. Boring backfilled with medium bentonite chips on 3/31/99. 20-30-



Harding Lawson Associates

Engineering and Environmental Services

Log of Boring AOI4A-B1

(sheet 1 of 1)

PLATE

Boeing Realty Corporation Los Angeles, California

DRAWN HK PROJECT NUMBER 46420-5 APPROVED

DATE 04/99

Power Probe 9600 Equipment 50.58 ft 3/31/99 Elevation Date DARK BROWN SANDY CLAY (CL) firm, moist, medium plasticity and toughness [ARTIFICIAL FILL] LIGHT BROWN SILTY SAND (SM) medium dense, moist, fine grained [NATIVE] 10-Boring terminated at 11 feet below ground surface. Groundwater not encountered during drilling. Boring backfilled with medium bentonite chips on 3/31/99. 20-30-



Harding Lawson Associates

Engineering and **Environmental Services** Log of Boring AOI4A-B2

(sheet 1 of 1)

Boeing Realty Corporation Los Angeles, California

DRAWN ΗK

PROJECT NUMBER 46420-5

APPROVED

DATE 04/99

REVISED DATE

Power Probe 9600 Equipment 3/31/99 50.09 ft Elevation Date DARK BROWN SANDY CLAY (CL) firm, moist, medium plasticity and toughness [ARTIFICIAL FILL] LIGHT BROWN SILTY SAND (SM) medium dense, moist, fine grained [NATIVE] 10-Boring terminated at 11 feet below ground surface. Groundwater not encountered during drilling. Boring backfilled with medium bentonite chips on 3/31/99. 20 30-



Harding Lawson Associates

Engineering and Environmental Services

Log of Boring AOI4A-B3

(sheet 1 of 1)

.)

Boeing Realty Corporation Los Angeles, California

DRAWN HK PROJECT NUMBER 46420-5 APPROVED

DATE 04/99 REVISED DATE

Power Probe 9600 Equipment 52.11 ft 3/31/99 Elevation Date DARK BROWN SANDY CLAY (CL) firm, moist, medium plasticity and toughness
[ARTIFICIAL FILL] LIGHT BROWN SILTY SAND (SM) medium dense, moist, fine grained [NATIVE] 10 Boring terminated at 12 feet below ground surface. Groundwater not encountered during drilling. Boring backfilled with medium bentonite chips on 3/31/99. 20-30-



Harding Lawson Associates Engineering and Environmental Services

Log of Boring AOI4A-B4

(sheet 1 of 1)

Boeing Realty Corporation Los Angeles, California

DRAWN HK

PROJECT NUMBER 46420-5

APPROVED

DATE 04/99 REVISED DATE

Power Probe 9600 Equipment 50.93 ft 3/31/99 Elevation Date DARK BROWN SANDY CLAY (CL) firm, moist, medium plasticity and toughness [ARTIFICIAL FILL] LIGHT BROWN SILTY SAND (SM) medium dense, moist, fine grained [NATIVE] 10-Boring terminated at 11 feet below ground surface. Groundwater not encountered during drilling. Boring backfilled with medium bentonite chips on 3/31/99. 20-30-



Harding Lawson Associates

Engineering and Environmental Services

Log of Boring AOI4A-B5

(sheet 1 of 1)

PLATE

Boeing Realty Corporation Los Angeles, California

DRAWN HK PROJECT NUMBER 46420-5 APPROVED

DATE 04/99

Power Probe 9600 Equipment 50.12 ft 3/31/99 Elevation Date DARK BROWN SANDY CLAY (CL) firm, moist, medium plasticity and toughness
[ARTIFICIAL FILL] LIGHT BROWN SILTY SAND (SM) medium dense, moist, fine grained [NATIVE] increasing moisture content 10 Boring terminated at 11 feet below ground surface. Groundwater not encountered during drilling. Boring backfilled with medium bentonite chips on 3/31/99. 20-30-



Harding Lawson Associates

Engineering and Environmental Services

Log of Boring AOI4A-B6

(sheet 1 of 1)

PLATE

Boeing Realty Corporation Los Angeles, California

DRAWN HK PROJECT NUMBER 46420-5 APPROVED

DATE 04/99

Power Probe 9600 Equipment 53.14 ft 3/31/99 Elevation Date DARK BROWN SANDY CLAY (CL) firm, moist, medium plasticity and toughness
[ARTIFICIAL FILL] LIGHT BROWN SILTY SAND (SM) medium dense, moist, fine grained [NATIVE] 10-Boring terminated at 14 feet below ground surface. Groundwater not encountered during drilling. Boring backfilled with medium bentonite chips on 3/31/99. 20-30-



Harding Lawson Associates

Engineering and Environmental Services

Log of Boring AOI4A-B7

(sheet 1 of 1)

PLATE

Boeing Realty Corporation Los Angeles, California

DRAWN PROJECT NUMBER
HK 46420-5

APPROVED

DATE 04/99

Power Probe 9600 Equipment 51.63 ft 3/31/99 Elevation Date DARK BROWN SANDY CLAY (CL) firm, moist, medium plasticity and toughness
[ARTIFICIAL FILL] LIGHT BROWN SILTY SAND (SM) medium dense, moist, fine grained [NATIVE] Boring terminated at 11 feet below ground surface. Groundwater not encountered during drilling. Boring backfilled with medium bentonite chips on 3/31/99. 20 30

HLA

Harding Lawson Associates

Engineering and Environmental Services

Log of Boring AOI4A-B8

(sheet 1 of 1)

PLATE

Boeing Realty Corporation Los Angeles, California

DRAWN HK PROJECT NUMBER 46420-5 APPROVED

DATE 04/99

Power Probe 9600 Equipment 50.60 ft 3/31/99 Elevation Date DARK BROWN SANDY CLAY (CL) firm, moist, medium plasticity and toughness [ARTIFICIAL FILL] LIGHT BROWN SILTY SAND (SM) medium dense, moist, fine grained [NATIVE] 10-Boring terminated at 11 feet below ground surface. Groundwater not encountered during drilling.
Boring backfilled with medium bentonite chips on 3/31/99. 20-30



Harding Lawson Associates Engineering and Environmental Services

Log of Boring AOI4A-B9

(sheet 1 of 1)

Boeing Realty Corporation Los Angeles, California

DRAWN PROJECT NUMBER HK 46420-5

APPROVED

DATE 04/99

REVISED DATE

Power Probe 9600 Equipment 49.91 ft 3/31/99 Elevation Date firm, moist, medium plasticity, trace sand [ARTIFICIAL FILL] DARK BROWN SILTY CLAY (CL) LIGHT BROWN SILTY SAND (SM) medium dense, moist, fine grained [NATIVE] 10-Boring terminated at 16 feet below ground surface. Groundwater not encountered during drilling. Boring backfilled with medium bentonite chips on 3/31/99. 20-30-

HLA

Harding Lawson Associates Engineering and Environmental Services

Log of Boring AOI4A-B10

(sheet 1 of 1)

PLATE

Boeing Realty Corporation Los Angeles, California

DRAWN

PROJECT NUMBER 46420-5 APPROVED

DATE 04/99

	1		1
Sheet		of	

Project: BOEING - BLOG. 4 SOIL BORINGS	Job No.: 46 420-2
Subject: FIELD INVESTIGATION DAILY REPORT	_ Date: <u>3 - 3 / - 9 9</u>
Equipment Rental: Company:	To: M. CLARDY
Equipment Hours: F.E. Time from: to:	By: V. MATHUR
(outside service and expense record must be attached fo	or any outside costs) Me HI199
05:30 LEAVE FOR SITE, PICK UP ICE.	
07:00 MEET ANDERSON (IES) AND CREGE DE	TILLING (SOE + MARTIN)
07:20 H+S MEETING WITH BATLEY CONSTR	
ON BATTERY ROOM BORING 810.	
08:28 DUPLICATE BIO AT 15' SAMPLE TA	KEN (15D)
08:38 BIO COMPLETE. MOB TO GRID LO	OCATION 81. DRILL
BI TO B9 IN SEQUENCE.	
e87 e81 e31	
	4
88 85 82 1 810	
B9 0 830 TBATT	ERT ROOM
V96	
10:00 SHIFT B3 WEST ABOUT 6' FROM	ORIGINAL GRID LOCATION
DUE TO CONCRETE AT 2' BGS.	
11:35 SHIFT BE SOUTH ABOUT B' FROM	ORIGINAL CRID
LOCATION DUE TO CONCRETE A	
12:05 UPDATE M. CLARDY, 3 HOLES REA	
13:30 UPDATE M. CLARDY, RINSATE BLAN	
14:00 GREGG DISPOSED 5 GAL OF DECO	
BAKER TANK. GREGG DRILLING OF	
OUT C.O.C'S.	
15:20 HEAD TO OCA LAB	
16:24 SUBBIT SAMPLES TO OCA LAB.	
Attachments:	
	Initial 1/11

Analysis Request and Chain of Custody Record ORANGE COAST ANALYTICAL, INC.

ORA, 3002 E Tustin, (714) E

3002 Dow, Suite 532 Tustin, CA 92780 (714) 832-0064, Fax (714) 832-0067

4620 E. Elwood, Suite 4 Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

REQUIRED TAT: 24 HR

₽

Lab Job No:

Page__

CUSTOMER INFORMATION			PROJECT INFORMATION	RMATION			90	15///	/ / /3		
CUMPANT: Harding Lawson Associates	PROJECT NAME	E ELD G	4	4304	S K C		\		\ \ \		
7	NUMBER:				*		(+ .		\ \ \		
ADDRESS: 30 Cor o Par K	LOCATION:) 1034 14. 16.		<u></u>		
Jevine CA	ADDRESS:						\$ 1 W	\	\ \ \		
							\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\ \z '\ '\	/		
PHONE: FAX:	SAMPLED BY: V	Hat	pine				×5.	\ \ \ '	\ \ \		
SAMPLE 10	NO. OF SAN	SAMPLE SA DATE T	Fr.E	SAMPLE C	CONTAINER	PRES.	10 10 10 10 10 10 10 10 10 10 10 10 10 1		\ \ \	REMARKS/PRECAUTIONS	
AOT 4-610-1-05	(S-S	3-31-99 08	6	 	-	343.45	×		1	Extremity to TECT	
1014-510-3-5		0.8	0810				 			דרחד מו כוותיו י	
4014-310-3-10		30	7.7		_		-				
1014-810-4-150		30	S				4				
ACI4- 810-4-15		30	1830				×				
ACT4-81-1-7		80	bi C)				+		3	4 O 10 T	T
A014-81-2-11		60	2763						200	O COR	
4014-82-1-5.5		80	27			ļ	×		E	0-1	
4014-82-1-9.5		80	33						0.70#		*
AOI4- 83-1-55		0.	0			-			70.	Mai O	
ACI4-83-1-95		0	1018						2 7	0.01	T
3014-84-1-7		2)	S							040	
4024-64-2-11		<i>3</i> :	:40						2 7	727	1
4614-85-1-5.5	7	0	6 S	· }	>	1			1 2	40.0	
Total No. of Samples: 14		Method of	Shipment:					- - - -		2,	
Da	-	Received E	By:		Dat	Date/Time:		Reporting	Reporting Format: (check)	eck)	1
W/16.2	16:25							NORMAL	1	S.D. HMMD	
Relinquished By: Date/Time:		Received E	By:		Date	Date/Time:		RWQCB	8	- ОТНЕЯ	
Relinquished By: Date/Time:		Received F	For Lab By:	خا	Date	Date/Time: ≲ - ·	104 - 8	Sample Integrity:	- 1	(check)	

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

Analysis Request and Chain of Custody Record ORANGE COAST ANALYTICAL, INC.

3002 Dow, Suite 532 Tustin, CA 92780 (714) 832-0064, Fax (714) 832-0067

4620 E. Elwood, Suite 4 Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

HR 24 REQUIRED TAT:

ŏ

Lab Job No:

CUSTOMER INFORMATION				IECT INFORMATION	_		90	10 /	\ \\ \\ \\ \'.		
COMPANY	PROJECT	PROJECT NAME:					/4.L	04	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<i> </i>	_
SEND DEPORT TO	- Incorporate	C-18.	G 4 AC. 7 4	14, BR	2		THE -	*	15/2	/ / /	_
SEND REPORT IO. J. P. A. W. C. A. S I. F. S. I.	NUMBER:						3NC 1818. 		\ \ \ \	· / / /	
ADDRESS: C. CORP. PARK	LOCATION:	÷					734	^¸ ≥``		<i> </i>	
1801 B CA	ADDRESS:						"W		\ \ !	////	
LINUTO .								`	<u></u>	/	
FAX:	SAMPLED BY:	>	A1A TH	THUR			, e	\ \\ \\ \\ \\ \\ \\	\	<u> </u>	
SAMPLEID	MO. OF CONTAINERS	SAMPLE	SAMPLE TIME	SAMPLE	CONTAINER TYPE	PRES.		\ \ \ \ \ \ \	\ \ \	REM	REMARKS/PRECAUTIONS
AOI4 - 85-2-9.5	2	3-31-99	1106	SOIL	23.55 E.A	NONE	×		-		
4014-86-1-S			1143							670#	
4014-86-2-9			1:48							O TOH	,
ACT4-87-1-8.5			1226							4000	
ACI4-87-2-12,5			12:33							HOLD	
1014.88- 1-5.5			1246				×				•
1014-88-2.9.5			133							11010	
1014-89-1-5			1312							HOLD	
ACE4-89-2-9	>		1318	>	\rightarrow	>				HOLD	
AOI4 - C & SATE - 1	3		13:45	K-4752		11.02.7	×	×		* 1 40.	CY I ANIETR
AOI4-CI/B1.2, 3-1-1	_		1008	Soll	4 02	SHON	メ				
AOI4-C2/B1.2, 3-1-5	_		1016	_			×				
2014-62/84,5.6-1-1			1143				*	,			
AOS4-C4/0456-2-5	>	>	1148	>	>	→	×				
Total No. of Samples: 4		Methoc	Method of Shipment:	ant:				-	 		
į		Received By:	ed By:		Q	Date/Time:			Reporting F	Reporting Format: (check)	
12 1 1 12 1 12 3/31/35	16:25		-					<u> </u>	NORMAL		S.D. HMMD
Relinquished By: Date/Time:		Received By:	ed By:		Da	Date/Time:			RWQCB		ОТНЕВ
Relinquished By: Date/Time:		Receiv	Received For Lab By:	By:	Da	Date/Time:		- ·	Sample Integrity:	egrity: (check)	
		800		A 74 A 7			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		intact	on ice	

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

Analysis Request and Chain of Custody Record ORANGE COAST ANALYTICAL, INC.

(714) 832-0064, Fax (714) 832-0067 3002 Dow, Suite 532 Tustin, CA 92780

4620 E. Elwood, Suite 4. Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

7 Lab Job No:

オア

REQUIRED TAT:

CUSTOMER INFORMATION	RMATION			PROJECT INFORMATION	FORMATI	8		00				
COMPANY: N. S. D. C. L. L. C. C. L.	1 do 11 CO 3	PROJEC	PROJECT NAME:			,		/ // //	\	\	\ \ \	_
	3		43.	à	4400	XX.		- 15W	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\ \	\ \ \	_
1. C. WELLS	5 - 17.51	NUMBER	.,					SINGS /	/ / k	<u></u>	\ \ \	
ADDRESS: CC CCA P D	XXXX	LOCATION:	ž					734 7V	\	\	\ \ \	
) MINE	CA	ADDRESS:]	708 / W	\ \ \	\ \ \	<u></u>	
								/ AE/	\	\	\	
PHONE: FAX:		SAMPLED BY:	7	MATHO	CA			\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\ \	\	\	
SAMPLEID	NO3	NO. OF CONTAINERS	SAMPLE	SAMPLE	SAMPLE	CONTAINER	PRES.	/ PF	\	\	REMA	REMARKS/PRECAUTIONS
1014-05/8789-	1-1-6	1	0.	رة ر	Se14	3.8.0	NCNE	×				
4014 - CG/8789-	3-2-S	→	÷		->	>	->	 X				
	and the resemble with the sylla the revenient the					,	,					
		+							-		\	
	/	\forall										
			/	/					1	ممسلم		
								\				
							X					
		1			\	1						
				1				/				
			1						/			
											/	
												/
معتقدات مستعمل ما والمستعمل معتمل المستعمل المست												
Total No. of Samples: 2			Method of	d of Shipment:	ent:						And the second s	
Relinguished Bv:	Date/Time:		Destricted			,	į					
1 Can low				ed by:		ă	Date/Time:		Reportir	ng Forma	Reporting Format: (check)	
Later the Market has	5-31 80 1	16 35							NORMAL	MAL	S	S.D. HMMD
Relinquished By:	Date/Time:		Received	ed By:		ă	Date/Time:		RWQCB	·	6	ОТНЕЯ
Relinquished By:	Date/Time:		Received	ed For Lab By:	By:	ă	Date/Time: 5	100 t 5 - 2	Sample	Sample Integrity:	(check)	

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

on ice

2-2 91

